


<b>Prüfbericht-Nr.:</b> <i>Test Report No.:</i>	<b>50174407 001 rev.01</b>	<b>Auftrags-Nr.:</b> <i>Order No.:</i>	174089156	Seite 1 von 4 Page 1 of 4	
<b>Kunden-Referenz-Nr.:</b> <i>Client Reference No.:</i>	N/A	<b>Auftragsdatum:</b> <i>Order date:</i>	15.08.2018		
<b>Auftraggeber:</b> <i>Client:</i>	GUANGDONG DONGTAI HARDWARE PRECISION MANUFACTURING CO., LTD Industry Road, Leliu Port, Leliu, Shunde, Foshan, Guangdong, China				
<b>Prüfgegenstand:</b> <i>Test item:</i>	DOUBLE-WALL DRAWER SYSTEMS DRAGON-PRO				
<b>Bezeichnung / Typ-Nr.:</b> <i>Identification / Type No.:</i>	HB SERIES/HB014504A				
<b>Auftrags-Inhalt:</b> <i>Order content:</i>	Durability test with the client's requirements.				
<b>Prüfgrundlage:</b> <i>Test specification:</i>	EN 15338:2007+A1:2010, clause 6.3.8 Hardware for furniture – Strength and durability of extension elements and their components				
<b>Wareneingangsdatum:</b> <i>Date of receipt:</i>	15.08.2018				
<b>Prüfmuster-Nr.:</b> <i>Test sample No.:</i>	A000791160-001				
<b>Prüfzeitraum:</b> <i>Testing period:</i>	16.08.2018 – 30.08.2018				
<b>Ort der Prüfung:</b> <i>Place of testing:</i>	Unit 201, NO.7 Caipin Road, Guangzhou, P.R. China				
<b>Prüflaboratorium:</b> <i>Testing laboratory:</i>	TÜV Rheinland (Guangdong) Ltd.				
<b>Prüfergebnis*:</b> <i>Test result*:</i>	Pass				
<b>geprüft von / tested by:</b>	<i>Leo Zhou</i>				<b>kontrolliert von / reviewed by:</b>
04.09.2018	Leo Zhou / Test Engineer	04.09.2018	Kingsley He / Reviewer		
<b>Datum</b> <i>Date</i>	<b>Name / Stellung</b> <i>Name / Position</i>	<b>Unterschrift</b> <i>Signature</i>	<b>Datum</b> <i>Date</i>	<b>Name / Stellung</b> <i>Name / Position</i>	<b>Unterschrift</b> <i>Signature</i>
<b>Sonstiges / Other:</b> This report supersedes the previous report numbered 50174407 001, dated on 04/09/2018.					
<b>Zustand des Prüfgegenstandes bei Anlieferung:</b> <i>Condition of the test item at delivery:</i>		Prüfmuster vollständig und unbeschädigt <i>Test item complete and undamaged</i>			
* Legende: 1 = sehr gut      2 = gut      3 = befriedigend      4 = ausreichend      5 = mangelhaft P(ass) = entspricht o.g. Prüfgrundlage(n)      F(ail) = entspricht nicht o.g. Prüfgrundlage(n)      N/A = nicht anwendbar      N/T = nicht getestet					
Legend: 1 = very good      2 = good      3 = satisfactory      4 = sufficient      5 = poor P(ass) = passed a.m. test specification(s)      F(ail) = failed a.m. test specification(s)      N/A = not applicable      N/T = not tested					
<b>Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.</b> <i>This test report only relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any test mark.</i>					

v04



Prüfbericht-Nr.: 50174407 001 rev.01  
Test Report No.:

Seite 3 von 4  
Page 3 of 4

**Produktbeschreibung**  
**Product description**

<b>1</b>	<b>Produktdetails</b> <i>Product details</i>	DOUBLE-WALL DRAWER SYSTEMS DRAGON-PRO
<b>2</b>	<b>Maße / Gewicht</b> <i>Dimensions / Weight</i>	H x W x D: 110 x 56 x (450-810)mm Weight: 1577.5g
<b>3</b>	<b>Bedienelemente</b> <i>Operating elements</i>	Drawer slide with damper
<b>4</b>	<b>Ausstattung / Zubehör</b> <i>Equipment / Accessories</i>	N/A
<b>5</b>	<b>Verwendete Materialien</b> <i>Used materials</i>	Metal and plastic
<b>6</b>	<b>Sonstiges</b> <i>Other</i>	Drawer inner dimension: H x W x D: 100 x 370 x 425mm, Weight: 4.48kg

Pic. 1: Overview - unextended



Pic. 2: Overview - extended



Pic. 3: Overview of drawer for testing



<b>Prüfbericht-Nr.: 50174407 001 rev.01</b>			Seite 4 von 4
<i>Test Report No.:</i>			<i>Page 4 of 4</i>
<b>Absatz</b>	<b>EN 15338:2007+A1:2010, clause 6.3.8</b>	<b>Messergebnisse - Bemerkungen</b>	<b>Bewertung</b>
<i>Clause</i>	<i>Anforderungen - Prüfungen / Requirements - Tests</i>	<i>Measuring results - Remarks</i>	<i>Evaluation</i>

<b>EN 15338:2007+A1:2010 (clause 6.3.8)</b>			
6.3.8	<p>If the extension element is configured for pocket files, the load shall be typing paper. Open and close the extension element gently and without supporting the front for the number of cycles specified. Open from the fully closed position to the point at which one-third of the inside length (depth) of the extension element, or at least 100 mm, remains inside the test frame.</p> <p>For extension elements, which are equipped with any sort of built-in stop in the open position, fully open the extension element without forcing the stop. If the extension element has a damper and/or a catch device, including a self opening or a self closing mechanism, this shall be allowed to operate at each cycle.</p> <p>Open and close the extension element via the force application point at a rate of 4 to 15 cycles per minute.</p>	<p>Load used: 40 kg Total: 60,000 cycles</p> <p>After the durability test, no function loss for the product.</p>	<b>P</b>

**Remark:**

- Clause(s) with the symbol “ / ” in the result refers to the result(s) of its sub-clause(s).

\*\*\* End of test report \*\*\*